

L Number	Hits	Search Text	DB	Time stamp
1	698	((568/619) or (568/621) or (568/623)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 06:26
2	718082	adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:28
3	165	((568/619) or (568/621) or (568/623)).CCLS.) and (adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 06:31
4	1123731	color	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 06:31
5	38	((568/619) or (568/621) or (568/623)).CCLS.) and (adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin)) and color	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 07:02
6	189	polytrimethylene near3 glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:24
7	74	(adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin) and (polytrimethylene near3 glycol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:14
8	30	color and ((adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin) and (polytrimethylene near3 glycol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:14
9	5062	trimethylene near2 glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:26
10	802	(adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin) and color and (trimethylene near2 glycol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:25
11	17	polymer near2 trimethylene near2 glycol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:28
12	4	((adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin) and color and (trimethylene near2 glycol)) and (polymer near2 trimethylene near2 glycol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:28
13	96108	adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin	USOCR	2004/09/21 08:28

14	54	(polymer near2 trimethylene near2 glycol) or (polyoxytrimethylene near2 glycol) or (polytrimethylene near2 ether near2 glycol) or (poly near2 "1,3-propylene" near2 glycol)	USOCR	2004/09/21 08:30
15	166290	color	USOCR	2004/09/21 08:30
16	9	(adsorbent or (activated near2 carbon) or (activated near2 charcoal) or alumina or silica or (diatomaceous near2 earth) or (montmorillonite near2 clay) or (fuller\$2 near2 earth) or kaolin) and ((polymer near2 trimethylene near2 glycol) or (polyoxytrimethylene near2 glycol) or (polytrimethylene near2 ether near2 glycol) or (poly near2 "1,3-propylene" near2 glycol)) and color	USOCR	2004/09/21 08:31

10/634,687

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1204RXW

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	May 12	EXTEND option available in structure searching
NEWS	4	May 12	Polymer links for the POLYLINK command completed in REGISTRY
NEWS	5	May 27	New UPM (Update Code Maximum) field for more efficient patent SDIs in CAPLUS
NEWS	6	May 27	CAPLUS super roles and document types searchable in REGISTRY
NEWS	7	Jun 28	Additional enzyme-catalyzed reactions added to CASREACT
NEWS	8	Jun 28	ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)
NEWS	9	Jul 12	BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS
NEWS	10	Jul 30	BEILSTEIN on STN workshop to be held August 24 in conjunction with the 228th ACS National Meeting
NEWS	11	AUG 02	IFIPAT/IFIUDB/IFICDB reloaded with new search and display fields
NEWS	12	AUG 02	CAPLUS and CA patent records enhanced with European and Japan Patent Office Classifications
NEWS	13	AUG 02	STN User Update to be held August 22 in conjunction with the 228th ACS National Meeting
NEWS	14	AUG 02	The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available
NEWS	15	AUG 04	Pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! will change September 1, 2004
NEWS	16	AUG 27	BIOCOMMERCE: Changes and enhancements to content coverage
NEWS	17	AUG 27	BIOTECHABS/BIOTECHDS: Two new display fields added for legal status data from INPADOC
NEWS	18	SEP 01	INPADOC: New family current-awareness alert (SDI) available
NEWS	19	SEP 01	New pricing for the Save Answers for SciFinder Wizard within STN Express with Discover!
NEWS	20	SEP 01	New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS	21	SEP 14	STN Patent Forum to be held October 13, 2004, in Iselin, NJ
NEWS EXPRESS		JULY 30	CURRENT WINDOWS VERSION IS V7.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer

10/634,687

agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 08:44:53 ON 21 SEP 2004

=> file chemistry patent

FILE 'ENCOMPLIT' ACCESS NOT AUTHORIZED

FILE 'ENCOMPLIT2' ACCESS NOT AUTHORIZED

FILE 'ENCOMPPAT' ACCESS NOT AUTHORIZED

FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'AGRICOLA' ENTERED AT 08:45:07 ON 21 SEP 2004

FILE 'ALUMINIUM' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'ANABSTR' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (c) 2004 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'APOLLIT' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (c) 2004 FIZ Karlsruhe

FILE 'AQUALINE' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'AQUIRE' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 US Environmental Protection Agency (EPA)

FILE 'BABS' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE 'BIOCOMMERCE' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 BioCommerce Data Ltd. Richmond Surrey, United Kingdom. All
rights reserved

FILE 'BIOTECHNO' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'CABA' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (C) 2004 CAB INTERNATIONAL (CABI)

FILE 'CAOLD' ENTERED AT 08:45:07 ON 21 SEP 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CAPLUS' ENTERED AT 08:45:07 ON 21 SEP 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CBNB' ENTERED AT 08:45:07 ON 21 SEP 2004

COPYRIGHT (c) 2004 ELSEVIER ENGINEERING INFORMATION, INC.

10/634,687

FILE 'CEABA-VTB' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 DECHEMA eV

FILE 'CEN' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2001 American Chemical Society (ACS)

FILE 'CERAB' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'CIN' ENTERED AT 08:45:07 ON 21 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

FILE 'COMPENDEX' ENTERED AT 08:45:07 ON 21 SEP 2004
Compendex Compilation and Indexing (C) 2004
Elsevier Engineering Information Inc (EEI). All rights reserved.
Compendex (R) is a registered Trademark of Elsevier Engineering Information Inc.

FILE 'CONFSCI' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'COPPERLIT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Copper Development Association Inc. (CDA)

FILE 'CORROSION' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'DISSABS' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 ProQuest Information and Learning Company; All Rights Reserved.

FILE 'FEDRIP' ENTERED AT 08:45:07 ON 21 SEP 2004

FILE 'GENBANK' ENTERED AT 08:45:07 ON 21 SEP 2004

FILE 'INSPEC' ENTERED AT 08:45:07 ON 21 SEP 2004
Compiled and produced by the IEE in association with FIZ KARLSRUHE
COPYRIGHT 2004 (c) INSTITUTION OF ELECTRICAL ENGINEERS (IEE)

FILE 'INSPHYS' ENTERED AT 08:45:07 ON 21 SEP 2004
Compiled and produced by the IEE in association with FIZ KARLSRUHE
COPYRIGHT 2004 (c) INSTITUTION OF ELECTRICAL ENGINEERS (IEE)

FILE 'INVESTEXT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Thomson Financial Services, Inc. (TFS)

FILE 'IPA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 American Society of Hospital Pharmacists (ASHP)

FILE 'JICST-EPLUS' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Japan Science and Technology Agency (JST)

FILE 'KOSMET' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 International Federation of the Societies of Cosmetics Chemists

FILE 'METADEX' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'NAPRALERT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Board of Trustees of the University of Illinois,
University of Illinois at Chicago.

10/634,687

FILE 'NIOSHTIC' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 U.S. Secretary of Commerce on Behalf of the U.S. Government

FILE 'NTIS' ENTERED AT 08:45:07 ON 21 SEP 2004
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2004)

FILE 'PAPERCHEM2' ENTERED AT 08:45:07 ON 21 SEP 2004
Paperchem2 compilation and indexing (C) 2004
Elsevier Engineering Information Inc. All rights reserved.

FILE 'PASCAL' ENTERED AT 08:45:07 ON 21 SEP 2004
Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2004 INIST-CNRS. All rights reserved.

FILE 'PROMT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Gale Group. All rights reserved.

FILE 'RAPRA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 RAPRA Technology Ltd.

FILE 'RDISCLOSURE' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Kenneth Mason Publications Ltd.

FILE 'RUSSCI' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Inputmax Ltd.

FILE 'SCISEARCH' ENTERED AT 08:45:07 ON 21 SEP 2004
Copyright (c) 2004 The Thomson Corporation.

FILE 'TULSA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 The University of Tulsa (UTULSA)

FILE 'TULSA2' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 The University of Tulsa (UTULSA)

FILE 'USAN' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 U.S. Pharmacopeial Convention, Inc. (USPC)

FILE 'WATER' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'WELDASEARCH' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 The Welding Institute (TWI)

FILE 'WSCA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 PAINT RESEARCH

FILE 'CASREACT' ENTERED AT 08:45:07 ON 21 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CROPU' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'DGENE' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'DPCI' ENTERED AT 08:45:07 ON 21 SEP 2004

10/634,687

COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'EUROPATFULL' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 WILA Verlag Muenchen (WILA)

FILE 'FRANCEPAT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 INPI

FILE 'FRFULL' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Univentio

FILE 'FSTA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 International Food Information Service

FILE 'IFIPAT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 IFI CLAIMS(R) Patent Services (IFI)

FILE 'INPADOC' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 European Patent Office, Vienna (EPO)

FILE 'JAPIO' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Japanese Patent Office (JPO)- JAPIO

FILE 'LITALERT' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 THE THOMSON CORPORATION

FILE 'PATDD' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT 2004 (C) Deutsches Patent- und Markenamt (DPMA)

FILE 'PATDPA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 Deutsches Patent- und Markenamt / FIZ Karlsruhe (DPMA/FIZ KA)

FILE 'PATDPAFULL' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 DPMA

FILE 'PATOSDE' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 WILA Verlag Muenchen (WILA)

FILE 'PATOSEP' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 WILA Verlag Muenchen (WILA)

FILE 'PATOSWO' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (c) 2004 WILA Verlag Muenchen (WILA)

FILE 'PCTFULL' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Univentio

FILE 'PCTGEN' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 WIPO

FILE 'PIRA' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Pira International

FILE 'PROUSDDR' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Prous Science

FILE 'PS' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Thieme on STN

FILE 'SYNTHLINE' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 Prous Science

10/634,687

FILE 'USPATFULL' ENTERED AT 08:45:07 ON 21 SEP 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 08:45:07 ON 21 SEP 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'WPIDS' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WPIFV' ENTERED AT 08:45:07 ON 21 SEP 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WPINDEX' ACCESS NOT AUTHORIZED

=> s polyoxytrimethylene glycol or polytrimethylene ether glycol or
poly(1,3-propylene glycol) or polymer# (3a) trimethylene glycol
MISSING OPERATOR 'POLY(1,3-PROPYL'
The search profile that was entered contains terms or
nested terms that are not separated by a logical operator.

=> s polyoxytrimethylene glycol or polytrimethylene ether glycol or
"poly(1,3-propylene glycol)" or polymer# (3a) trimethylene glycol
7 FILES SEARCHED...
18 FILES SEARCHED...
24 FILES SEARCHED...
27 FILES SEARCHED...
36 FILES SEARCHED...
47 FILES SEARCHED...
52 FILES SEARCHED...
60 FILES SEARCHED...
63 FILES SEARCHED...
66 FILES SEARCHED...
74 FILES SEARCHED...
L1 261 POLYOXYTRIMETHYLENE GLYCOL OR POLYTRIMETHYLENE ETHER GLYCOL OR
"POLY(1,3-PROPYLENE GLYCOL)" OR POLYMER# (3A) TRIMETHYLENE GLYCO
L

=> s adorbent or activated carbon or activated charcoal or alumina or silica or
diatomaceous earth or montmorillonite or "fuller's earth" or kaolin mineral#
15 FILES SEARCHED...
26 FILES SEARCHED...
40 FILES SEARCHED...
52 FILES SEARCHED...
62 FILES SEARCHED...
73 FILES SEARCHED...
L2 2569247 ADORBENT OR ACTIVATED CARBON OR ACTIVATED CHARCOAL OR ALUMINA
OR SILICA OR DIATOMACEOUS EARTH OR MONTMORILLONITE OR "FULLER'S
EARTH" OR KAOLIN MINERAL#

<-----User Break----->

SEARCH ENDED BY USER

=> s color or colour
41 FILES SEARCHED...
57 FILES SEARCHED...
L3 3151473 COLOR OR COLOUR

=> l1 and l2 and l3
L1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter

10/634,687

"HELP COMMANDS" at an arrow prompt (=>).

=> s l1 and l2 and l3

40 FILES SEARCHED...

66 FILES SEARCHED...

L4 30 L1 AND L2 AND L3

=> dup rem l4

DUPLICATE IS NOT AVAILABLE IN 'AQUIRE, BIOCOMMERCE, CAOLD, FEDRIP, GENBANK, INVESTEXT, KOSMET, RDISCLOSURE, USAN, DGENE, DPCI, LITALERT, PCTGEN, PROUSDDR, SYNTHLINE'.

ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE
PROCESSING COMPLETED FOR L4

L5 25 DUP REM L4 (5 DUPLICATES REMOVED)

=> d 1-25 bib ab

L5 ANSWER 1 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1445282 EUROPATFULL ED 20040812 EW 200433 FS OS
TIEN RESIN COMPOSITION AND MOLDED ARTICLE FILM AND FIBER EACH COMPRISING THE
SAME.
TIDE HARZZUSAMMENSETZUNG UND DIESE ENTHALTENDE FORMKOERPER, FILME UND FASERN.
TIFR COMPOSITION DE RESINE ET ARTICLE MOULE, FILM ET FIBRE.
IN OHME, Hiroyuki, Toray Shataku G-4-4, 82, Ikegamidail-chome, Midori-ku,
Nagoya-shi, Aichi 458-0044, JP;
KUMAZAWA, Sadanori, Kibaminamijutaku 3-406, 9-3, kiba-cho, Minato-ku,
Nagoya-shi, Aichi 455-0021, JP;
KUMAKI, Jiro, 1501-2, Asahide 2-chome, Midori-ku, Nagoya-shi, Aichi
458-0031, JP
PA TORAY INDUSTRIES, INC., 2-1, Nihonbashi Muromachi 2-chome, Chuo-ku,
Tokyo 103-8666, JP
PAN 203533
AG Coleiro, Raymond et al., Mewburn Ellis LLP York House 23 Kingsway,
London WC2B 6HP, GB
AGN 47752
OS MEPA2004064 EP 1445282 A1 0067
SO Wila-EPZ-2004-H33-T1a
DT Patent
LA Anmeldung in Japanisch; Veroeffentlichung in Englisch;
Verfahren in Englisch
DS R AT; R BE; R BG; R CH; R CY; R CZ; R DE; R DK; R EE; R ES; R FI; R FR;
R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R SK; R TR
PIT EPA1 EUROPAEISCHE PATENTANMELDUNG (Internationale Anmeldung)
PI EP 1445282 A1 20040811
OD 20040811
AI EP 2002-751820 20020801
PRAI JP 2001-2001236082 20010803
JP 2001-2001340948 20011106
JP 2002-2002014948 20020124
JP 2002-2002014949 20020124
JP 2002-2002030474 20020207
RLI WO 02-JP7838 020801 INTAKZ
WO 2003014224 030220 INTPNR
ABEN Disclosed are a resin composition comprising a polylactic acid resin and
a polyacetal resin, and such a resin composition in which the polylactic
acid resin and the polyacetal resin are kept miscible with each other.
The resin composition has good moldability, workability, mechanical
properties, heat resistance and transparency, and may be worked into
moldings, films and fibers for practical use. <image>

L5 ANSWER 2 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1443080 EUROPATFULL ED 20040805 EW 200432 FS OS
 TIEN THERMOPLASTIC RESIN COMPOSITION, MOLDED ARTICLE, AND PROCESS FOR
 PRODUCING THE SAME.
 TIDE THERMOPLASTHARZZUSAMMENSETZUNG, FORMKÖRPER UND HERSTELLUNGSVERFAHREN
 DAFÜR.
 TIFR COMPOSITION DE RESINE THERMOPLASTIQUE, ARTICLE MOULE ET PROCESSUS DE
 PRODUCTION DE CETTE COMPOSITION.
 IN MITSUNAGA, Masaki, c/o Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho
 1-chome, Chiyoda-ku, Tokyo 100-0011, JP;
 HIRONAKA, Katsuhiko, c/o Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho
 1-chome, Chiyoda-ku, Tokyo 100-0011, JP;
 OKAMOTO, Masami, 12-52, Katada 1-chome, Otsu-shi, Shiga 520-0243, JP
 PA Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho 1-chome, Chiyoda-ku, Tokyo
 100-0011, JP
 PAN 769823
 AG Albrecht, Thomas, Dr., Kraus & Weisert, Thomas-Wimmer-Ring 15, 80539
 Muenchen, DE
 AGN 83202
 OS MEPA2004062 EP 1443080 A1 0042
 SO Wila-EPZ-2004-H32-T1a
 DT Patent
 LA Anmeldung in Japanisch; Veröffentlichung in Englisch;
 Verfahren in Englisch
 DS R AT; R BE; R BG; R CH; R CY; R CZ; R DE; R DK; R EE; R ES; R FI; R FR;
 R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R SK; R TR
 PIT EPA1 EUROPÄISCHE PATENTANMELDUNG (Internationale Anmeldung)
 PI EP 1443080 A1 20040804
 OD 20040804
 AI EP 2002-747702 20020719
 PRAI JP 2001-2001221168 20010723
 JP 2002-2002142589 20020517
 JP 2002-2002146387 20020521
 JP 2002-2002146388 20020521
 JP 2002-2002147429 20020522
 RLI WO 02-JP7359 020719 INTAKZ
 WO 2003010235 030206 INTPNR
 ABEN A thermoplastic resin composition comprising:
 (A) 100 parts by weight of a noncrystalline thermoplastic resin
 component (component A);
 (B) 0.1 to 50 parts by weight of a layered silicate (component B)
 which satisfies the following (i) to (iii):
 (i) it has a cation exchange capacity of 50 to 200
 milliequivalents/100 g, and at least 40 % of the cation exchange
 capacity being exchanged with an organic onium ion,
 (ii) 60 % or more of the layered silicate particles have a
 thickness of 100 nm or less in the resin composition, and
 (iii) the interlayer spacing of the layered silicate (component B)
 in the resin composition is smaller than the interlayer spacing of the
 layered silicate alone by 0.5 nm or more; and
 (C) 0 to 50 parts by weight of a compound (component C) having
 affinity for the noncrystalline thermoplastic resin component as the
 component A and a hydrophilic component; and
 molded articles thereof.

According to the present invention, a noncrystalline thermoplastic resin

composition having excellent stiffness, surface appearance and heat stability, especially a polycarbonate resin composition and molded articles thereof are obtained.

L5 ANSWER 3 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 861719 EUROPATFULL ED 19980913 EW 199836 FS OS
 TIEN Thermoplastic resin molded article.
 TIDE Formteil aus thermoplastischem Kunstharz.
 TIFR Article moule en resine thermoplastique.
 IN Takamoto, Katsunori, 3-8-3- Azuma, Tsukuba-City, Ibaraki-pref., JP;
 Mochizuki, Akihiro, 2-3-7 Ninomiya, Tsukuba-City, Ibaraki-pref, JP
 PA KURARAY CO., LTD., 1621 Sakazu, Kurashiki-City, JP
 PAN 298714
 AG Mueller-Bore & Partner Patentanwaelte, Grafinger Strasse 2, 81671
 Muenchen, DE
 AGN 100651
 OS ESP1998059 EP 0861719 A2 980902
 SO Wila-EPZ-1998-H36-T3a
 DT Patent
 LA Anmeldung in Englisch; Veroeffentlichung in Englisch
 DS R AT; R BE; R CH; R DE; R DK; R ES; R FI; R FR; R GB; R GR; R IE; R IT;
 R LI; R LU; R MC; R NL; R PT; R SE
 PIT EPA2 EUROPÄISCHE PATENTANMELDUNG
 PI EP 861719 A2 19980902
 OD 19980902
 AI EP 1998-103134 19980223
 PRAI JP 1997-62503 19970228

GRANTED PATENT - ERTEILTES PATENT - BREVET DELIVRE

AN 861719 EUROPATFULL UP 20040206 EW 200406 FS PS
 TIEN Thermoplastic resin molded article.
 TIDE Formteil aus thermoplastischem Kunstharz.
 TIFR Article moule en resine thermoplastique.
 IN Takamoto, Katsunori, 3-8-3- Azuma, Tsukuba-City, Ibaraki-pref., JP;
 Mochizuki, Akihiro, 2-3-7 Ninomiya, Tsukuba-City, Ibaraki-pref, JP
 PA KURARAY CO., LTD., 1621 Sakazu, Kurashiki-City, JP
 PAN 298714
 AG Mueller-Bore & Partner Patentanwaelte, Grafinger Strasse 2, 81671
 Muenchen, DE
 AGN 100651
 OS MEPB2004006 EP 0861719 B1 0022
 SO Wila-EPS-2004-H06-T3
 DT Patent
 LA Anmeldung in Englisch; Veroeffentlichung in Englisch
 DS R DE; R FR; R GB; R IT
 PIT EPB1 EUROPÄISCHE PATENTSCHRIFT
 PI EP 861719 B1 20040204
 OD 19980902
 AI EP 1998-103134 19980223
 PRAI JP 1997-62503 19970228
 REP EP 80599 A EP 185103 A
 EP 371753 A EP 423509 A
 EP 499927 A EP 604074 A
 US 5114997 A
 ABEN A thermoplastic resin molded article having gloss of at least one
 surface above 80 %, a storage modulus in common logarithm being 7 to 8
 MPa within a temperature range higher by 20 °C to 100 °C

than the glass transition temperature, a cooling distortion ratio of 1.0 kg/cm.sup2. .dot. °C or less when the molded article is cooled from 130 °C to 50 °C and an Izod impact strength of 2.0 kJ/m.sup2. or more, is provided, together with a thermoplastic resin composition containing a polybutylene terephthalate resin, a polyethylene terephthalate resin, a (meth)acrylic resin, a polymer particle of a multi-layer structure and an inorganic filler, which composition is used for producing the molded article. <image>

L5 ANSWER 4 OF 25 USPATFULL on STN

AN 2004:197618 USPATFULL

TI Continuous process for the preparation of polytrimethylene ether glycol

IN Sunkara, Hari Babu, Hockessin, DE, UNITED STATES
Marchildon, Ernest Keith Andrew, Kingston, CANADA
Ng, Howard Chung-Ho, Kingston, CANADA
Manzer, Leo E., Wilmington, DE, UNITED STATES

PA E.I. Du Pont de Nemours and Company (U.S. corporation)

PI US 2004152925 A1 20040805

AI US 2004-760339 A1 20040120 (10)

RLI Continuation of Ser. No. US 2000-738689, filed on 15 Dec 2000, GRANTED, Pat. No. US 6720459

PRAI US 1999-172126P 19991217 (60)

DT Utility

FS APPLICATION

LREP E. I. du Pont de Nemours & Company, Legal - Patent, 1007 Market Street, Wilmington, DE, 19894

CLMN Number of Claims: 45

ECL Exemplary Claim: 1

DRWN 7 Drawing Page(s)

LN.CNT 1033

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention is a continuous process for the preparation of polytrimethylene ether glycol from 1,3-propanediol reactant. In addition, the invention is directed to a continuous multi-stage process comprising reacting at least one reactant in a liquid phase in an upflow column reactor, and forming a gas or vapor phase by-product wherein the gas or vapor phase by-product is continuously removed at the top and at least one intermediate stage.

L5 ANSWER 5 OF 25 USPATFULL on STN

AN 2004:39479 USPATFULL

TI Thermoplastic resin composition, molded article, and process for producing the same

IN Mitsunaga, Masaki, Tokyo, JAPAN
Hironaka, Katsuhiko, Tokyo, JAPAN
Okamoto, Masami, Shiga, JAPAN

PI US 2004030021 A1 20040212

AI US 2003-381103 A1 20030813 (10)

WO 2002-JP7359 20020719

PRAI JP 2001-221168 20010723

JP 2002-142589 20020517

JP 2002-146387 20020521

JP 2002-146388 20020521

JP 2002-147429 20020522

DT Utility

FS APPLICATION

LREP WENDEROTH, LIND & PONACK, L.L.P., 2033 K STREET N. W., SUITE 800, WASHINGTON, DC, 20006-1021

CLMN Number of Claims: 39

ECL Exemplary Claim: 1

DRWN 1 Drawing Page(s)

LN.CNT 2749

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A thermoplastic resin composition comprising:

(A) 100 parts by weight of a noncrystalline thermoplastic resin component (component A);

(B) 0.1 to 50 parts by weight of a layered silicate (component B) which satisfies the following (i) to (iii):

(i) it has a cation exchange capacity of 50 to 200 milliequivalents/100 g, and at least 40% of the cation exchange capacity being exchanged with an organic onium ion,

(ii) 60% or more of the layered silicate particles have a thickness of 100 nm or less in the resin composition, and

(iii) the interlayer spacing of the layered silicate (component B) in the resin composition is smaller than the interlayer spacing of the layered silicate alone by 0.5 nm or more; and

(C) 0 to 50 parts by weight of a compound (component C) having affinity for the noncrystalline thermoplastic resin component as the component A and a hydrophilic component; and

molded articles thereof.

According to the present invention, a noncrystalline thermoplastic resin composition having excellent stiffness, surface appearance and heat stability, especially a polycarbonate resin composition and molded articles thereof are obtained.

L5 ANSWER 6 OF 25 USPTFULL on STN

AN 2004:31959 USPTFULL

TI Sulfonated aliphatic-aromatic copolyetheresters

IN Hayes, Richard Allen, Brentwood, TN, UNITED STATES

PI US 2004024101 A1 20040205

AI US 2002-209369 A1 20020730 (10)

DT Utility

FS APPLICATION

LREP E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805

CLMN Number of Claims: 29

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 3391

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A sulfonated aliphatic-aromatic copolyetherester that comprises the polymerization product of 80.0 to 20.0 mole percent of an aromatic dicarboxylic acid or an ester thereof based on the total moles of dicarboxylic acid or ester thereof, 20.0 to 80.0 mole percent of an aliphatic dicarboxylic acid or an ester thereof based on the total moles of dicarboxylic acid or ester thereof, 0.1 to 10.0 mole percent of a sulfonate component, 99.9 to 91.0 mole percent of a first glycol selected from the group consisting of ethylene glycol, 1,3-propanediol and 1,4-butanediol based on the total moles of glycol, 0.1 to 4.0 mole percent of a poly(alkylene ether) glycol based on the total moles of glycol, 0 to 5.0 mole percent of an other glycol based on the total moles of glycol, and 0 to 5.0 mole percent of a polyfunctional branching agent.

L5 ANSWER 7 OF 25 USPATFULL on STN
 AN 2004:223691 USPATFULL
 TI Sulfonated aliphatic-aromatic copolyesters and shaped articles produced therefrom
 IN Hayes, Richard Allen, Brentwood, TN, United States
 PA E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)
 PI US 6787245 B1 20040907
 AI US 2003-459189 20030611 (10)
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: Acquah, Samuel A.
 CLMN Number of Claims: 79
 ECL Exemplary Claim: 1
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
 LN.CNT 3461
 AB Sulfonated aliphatic-aromatic copolyesters are provided. The copolyesters are produced from a mixture of aromatic dicarboxylic acids, aliphatic dicarboxylic acids, ethylene glycol, other glycols, and components containing alkali metal or alkaline earth metal sulfo groups, such as a metal 5-sulfoisophthalic acid derivative. The copolyesters have lower sulfonation than known sulfonated polyesters, and provide advantageous thermal properties for some end uses. The sulfonated aliphatic-aromatic copolyesters are useful in forming coatings or films on various substrates, and in packaging. Some compositions comprising the sulfonated aliphatic-aromatic copolyesters are biodegradable, as are some of the sulfonated aromatic-aromatic copolyesters.

L5 ANSWER 8 OF 25 USPATFULL on STN DUPLICATE 1
 AN 2003:245080 USPATFULL
 TI Block copolymer
 IN Aramaki, Masaaki, Nobeoka-shi, JAPAN
 Saitou, Takashi, Saitama, JAPAN
 Maekawa, Tomofumi, Nobeoka-shi, JAPAN
 PI US 2003171494 A1 20030911
 US 6794463 B2 20040921
 AI US 2002-240010 A1 20020927 (10)
 WO 2001-JP2545 20010328
 PRAI JP 2000-88285 20000328
 DT Utility
 FS APPLICATION
 LREP BIRCH STEWART KOLASCH & BIRCH, PO BOX 747, FALLS CHURCH, VA, 22040-0747
 CLMN Number of Claims: 18
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 1609

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Block copolymer comprising at least two kinds of polymer components each having a different structural unit in the polymer selected from polyamide, polyester, polycarbonate and polyarylate. The present block copolymer has a distinguished moldability and can be produced even from rework products or recycle products in a simple and economical manner.

L5 ANSWER 9 OF 25 USPATFULL on STN DUPLICATE 2
 AN 2003:226496 USPATFULL
 TI Flame retardant aromatic polycarbonate resin composition and molded articles thereof
 IN Ono, Tetsushi, Tokyo, JAPAN
 Itagaki, Akinari, Tokyo, JAPAN
 Yamaya, Masaaki, Tokyo, JAPAN
 Kobayashi, Yoshiteru, Gunma, JAPAN
 PI US 2003158309 A1 20030821

10/634,687

US 6727303 B2 20040427
AI US 2002-229221 A1 20020828 (10)
PRAI JP 2001-261267 20010830
JP 2001-261269 20010830
JP 2002-12092 20020121
JP 2002-12094 20020121

DT Utility

FS APPLICATION

LREP Leonard W. Sherman, Sherman & Shalloway, 413 N. Washington Street,
Alexandria, VA, 22314

CLMN Number of Claims: 25

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 2738

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A flame retardant aromatic polycarbonate resin composition comprising:

(1) 100 parts by weight of resin components comprising 50 to 100 wt % of an aromatic polycarbonate resin (component A-1), 0 to 50 wt % of a styrene-based resin (component A-2) and 0 to 50 wt % of an aromatic polyester resin (component A-3); and

(2) 0.1 to 10 parts by weight of a silicone compound (component B) which contains an Si--H group and an aromatic group in the molecule based on 100 parts by weight of the total of the resin components, wherein

the silicone compound is at least one selected from silicone compounds which have (1) an Si--H group content (Si--H content) of 0.1 to 1.2 mols/100 g and (2) a content of an aromatic group represented by the following general formula (1) (aromatic group content) of 10 to 70 wt %:
##STR1##

wherein X's are each independently an OH group or the residual monovalent organic group having 1 to 20 carbon atoms, and n is 0 or an integer of 1 to 5, with the proviso that when n is 2 or more, X's can differ from one another, and molded articles thereof.

A halogen-free polycarbonate resin composition having excellent transparency and dripping preventing properties and molded articles thereof are provided according to the present invention.

L5 ANSWER 10 OF 25 USPATFULL on STN

DUPLICATE 3

AN 2003:45451 USPATFULL

TI Process to produce poly(alkylene ether) glycol-containing polyesters

IN Hayes, Richard Allen, Brentwood, TN, UNITED STATES

PI US 2003032763 A1 20030213

US 6610795 B2 20030826

AI US 2001-927653 A1 20010810 (9)

DT Utility

FS APPLICATION

LREP E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY
MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805

CLMN Number of Claims: 20

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 1019

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A process for producing a polyester that comprises 1 to 90 weight % poly(alkylene ether) glycol. The process comprises the step of copolymerizing (i) a preformed polyester polymer having an inherent viscosity of at least 0.4 dL/g, (ii) a poly(alkylene ether) glycol, and (iii) a dicarboxylic acid or anhydride, to obtain a polyester comprising

1 to 90 weight % poly(alkylene ether glycol).

L5 ANSWER 11 OF 25 USPATFULL on STN DUPLICATE 4
 AN 2003:4208 USPATFULL
 TI Aromatic polycarbonate resin composition
 IN Hashimoto, Yoshihide, Chiyoda-ku, JAPAN
 Aibara, Tetsuya, Chiyoda-ku, JAPAN
 Onizawa, Tomomitsu, Chiyoda-ku, JAPAN
 PI US 2003004251 A1 20030102
 US 6780917 B2 20040824
 AI US 2001-794631 A1 20010228 (9)
 DT Utility
 FS APPLICATION
 LREP Sherman & Shalloway, 413 N. Washington Street, Alexandria, VA, 22314
 CLMN Number of Claims: 27
 ECL Exemplary Claim: 1
 DRWN 1 Drawing Page(s)
 LN.CNT 2223
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB An aromatic polycarbonate resin composition comprising:

100 parts by weight of a resin component consisting of (1) 50 to 100 wt % of an aromatic polycarbonate resin (component A) and (2) 0 to 50 wt % of at least one thermoplastic resin (component B) selected from the group consisting of a thermoplastic polyester resin (component B-1) and a styrene unit component-containing resin having a rubber component content of less than 40 wt % (component B-2); and

(3) 1 to 100 parts by weight of wollastonite particles having such particle shape characteristics that the particles have a number average fiber length measured by a method specified in this text of 10 μ m or less and a number average fiber diameter measured by a method specified in this text of 4 μ m or less and include particles having a fiber length of 5 to 25 μ m in a number proportion of less than 50% of the total and moldings thereof.

According to the present invention, there are provided an aromatic polycarbonate resin composition which has high stiffness, high impact resistance, a good surface appearance (suppression of the formation of projecting foreign matter which causes deterioration in coating appearance) and recyclability, and moldings thereof.

L5 ANSWER 12 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1300445 EUROPATFULL ED 20030414 EW 200315 FS OS
 TIEN AROMATIC POLYCARBONATE RESIN COMPOSITION.
 TIDE AROMATISCHE POLYCARBONATHARZZUSAMMENSETZUNG.
 TIFR COMPOSITION POLYCARBONATE DE RESINE AROMATIQUE.
 IN HASHIMOTO, Yoshihide, Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho
 1-chome, Chiyoda-ku, Tokyo 100-0011, JP;
 AIBARA, Tetsuya, Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho 1-chome,
 Chiyoda-ku, Tokyo 100-0011, JP;
 ONIZAWA, Tomomitsu, Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho 1-chome,
 Chiyoda-ku, Tokyo 100-0011, JP
 PA Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho 1-chome, Chiyoda-ku, Tokyo
 100-0011, JP
 PAN 769823
 AG Albrecht, Thomas, Dr., Kraus, Weisert & Partner Patent- und
 Rechtsanwaelte Thomas-Wimmer-Ring 15, 80539 Muenchen, DE
 AGN 83201

OS MEPA2003028 EP 1300445 A1 0037
 SO Wila-EPZ-2003-H15-T1a
 DT Patent
 LA Anmeldung in Japanisch; Veroeffentlichung in Englisch;
 Verfahren in Englisch
 DS R AT; R BE; R CH; R CY; R DE; R DK; R ES; R FI; R FR; R GB; R GR; R IE;
 R IT; R LI; R LU; R MC; R NL; R PT; R SE; R TR
 PIT EPA1 EUROPÄISCHE PATENTANMELDUNG (Internationale Anmeldung)
 PI EP 1300445 A1 20030409
 OD 20030409
 AI EP 2001-908275 20010302
 RLI WO 01-JP1650 010302 INTAKZ
 WO 02070607 020912 INTPNR
 ABEN An aromatic polycarbonate resin composition comprising:
 100 parts by weight of a resin component consisting of (1) 50 to 100
 wt% of an aromatic polycarbonate resin (component A) and (2) 0 to 50 wt%
 of at least one thermoplastic resin (component B) selected from the
 group consisting of a thermoplastic polyester resin (component B-1) and
 a styrene unit component-containing resin having a rubber component
 content of less than 40 wt% (component B-2); and
 (3) 1 to 100 parts by weight of wollastonite particles having such
 particle shape characteristics that the particles have a number average
 fiber length measured by a method specified in this text of 10 µm or
 less and a number average fiber diameter measured by a method specified
 in this text of 4 µm or less and include particles having a fiber
 length of 5 to 25 µm in a number proportion of less than 50 % of the
 total
 and moldings thereof.

According to the present invention, there are provided an aromatic
 polycarbonate resin composition which has high stiffness, high impact
 resistance, a good surface appearance (suppression of the formation of
 projecting foreign matter which causes deterioration in coating
 appearance) and recyclability, and moldings thereof.

L5 ANSWER 13 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1288262 EUROPATFULL ED 20030311 EW 200310 FS OS
 TIEN Flame retardant aromatic polycarbonate resin composition and molded
 articles thereof.
 TIDE Flammhemmende aromatische Polycarbonatharzzusammensetzung und daraus
 hergestellte Formmassen.
 TIFR Composition de resine de polycarbonate aromatique ignifuge et articles
 moules a partir de cette composition.
 IN Ono, T., c/o Teijin Chemicals, Ltd, 2-2, Uchisaiwaicho 1-chome,
 Chiyoda-ku, Tokyo 100-0011, JP;
 Itagaki, A., c/o Shin-Etsu Chemical Co., Ltd, Si.-El. M. R. C., 1-10
 Oaza Hitomi, Matsuida-machi, Usui-gun, Gunma 379-0224, JP;
 Yamaya, M., c/o Shin-Etsu Chemical Co., Ltd, Si.-El. M. R. C., 1-10 Oaza
 Hitomi, Matsuida-machi, Usui-gun, Gunma 379-0224, JP;
 Kobayashi, Yoshiteru, 1835-3, Higashikamiisobe, Annaka-shi, Gunma
 379-0128, JP
 PA Teijin Chemicals, Ltd., 2-2, Uchisaiwaicho 1-chome, Chiyoda-ku, Tokyo
 100-0011, JP;
 Shin-Etsu Chemical Co., Ltd., 6-1, Otemachi 2-chome, Chiyoda-ku Tokyo
 100, JP
 PAN 769823; 235612
 AG Cresswell, Thomas Anthony, J.A. KEMP & CO. 14 South Square Gray's Inn,
 London WC1R 5JJ, GB

10/634,687

AGN 50351
OS MEPA2003018 EP 1288262 A2 0052
SO Wila-EPZ-2003-H10-T1a
DT Patent
LA Anmeldung in Englisch; Veroeffentlichung in Englisch
DS R AT; R BE; R BG; R CH; R CY; R CZ; R DE; R DK; R EE; R ES; R FI; R FR;
R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R SK; R TR;
R AL; R LT; R LV; R MK; R RO; R SI
PIT EPA2 EUROPAEISCHE PATENTANMELDUNG
PI EP 1288262 A2 20030305
OD 20030305
AI EP 2002-256034 20020830
PRAI JP 2001-2001261267 20010830
JP 2001-2001261268 20010830
JP 2001-2001261269 20010830
JP 2002-2002012092 20020121
JP 2002-2002012093 20020121
JP 2002-2002012094 20020121
ABEN A flame retardant aromatic polycarbonate resin composition comprising:
(A) 100 parts by weight of resin components comprising:
(A-1) 50 to 100 wt% of an aromatic polycarbonate resin,
(A-2) 0 to 50 wt% of a styrene-based resin and
(A-3) 0 to 50 wt% of an aromatic polyester resin;
and
(B) 0.1 to 10 parts by weight of a silicone compound which has (1)
an Si-H group content of 0.1 to 1.2 mols/100 g and (2) a content of an
aromatic group of formula (1) of 10 to 70 wt%: <image> wherein each
X, which may be the same or different, is an OH group or a monovalent
organic group having 1 to 20 carbon atoms, and n is 0 or an integer of 1
to 5.

A halogen-free polycarbonate resin composition having excellent
transparency and dripping preventing properties and molded articles
thereof are provided according to the present invention.

L5 ANSWER 14 OF 25 PCTFULL COPYRIGHT 2004 Univentio on STN.
AN 2003014195 PCTFULL ED 20030303 EW 200308
TIEN PROCESS TO PRODUCE POLY(ALKYLENE ETHER)GLYCOL-CONTAINING POLYESTERS
TIFR PROCEDE D'ELABORATION DE POLYESTERS A BASE DE POLY(ALKYLENE ETHER)GLYCOL
IN HAYES, Richard, Allen, 6309 Milbrook Boulevard, Brentwood, TN 37027, US
PA E.I. DU PONT DE NEMOURS AND COMPANY, 1007 Market Street, Wilmington, DE
19898, US [US, US]
AG EVANS, Craig, H., E.I. Dupont de Nemours and Company, Legal Patent
Records Center, 4417 Lancaster Pike, Wilmington, DE 19805, US
LAF English
LA English
DT Patent
PI WO 2003014195 A1 20030220
DS W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN
IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN
MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM
TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
RW (ARIPO): GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
RW (EAPO): AM AZ BY KG KZ MD RU TJ TM
RW (EPO): AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL
PT SE SK TR
RW (OAPI): BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
AI WO 2002-US27081 A 20020809
PRAI US 2001-09/927,652 20010810
ABEN A process for producing a polyester that comprises 65 to 90 weight %

poly(alkylene ether) glycol. The process comprises the step of copolymerizing a preformed polyester polymer having an inherent viscosity of at least 0.4 dL/g and a poly(alkylene ether) glycol, to obtain said polyester comprising said 65 to 90 weight % poly(alkylene ether glycol).

ABFR L'invention concerne un procede d'elaboration de polyester renfermant, en poids, entre 65 et 90 % de poly(alkylene ether) glycol, qui consiste a copolymeriser un polymere de polyester preforme de viscosite inherente au moins egale a 0,4 dL/g, et un poly(alkylene ether) glycol, donnant un polyester qui contient, en poids, entre 65 et 90 % de poly(alkylene ether glycol).

L5 ANSWER 15 OF 25 PCTFULL COPYRIGHT 2004 Univentio on STN
 AN 2003014183 PCTFULL ED 20030303 EW 200308
 TIEN A PROCESS TO PRODUCE POLY(ALKYLENE ETHER)GLYCOL-CONTAINING POLYESTERS
 TIFR PROCEDE D'ELABORATION DE POLYESTERS A BASE DE POLY(ALKYLENE ETHER)GLYCOL
 IN HAYES, Richard, Allen, 6309 Milbrook Boulevard, Brentwood, TN 37027, US
 PA E.I. DU PONT DE NEMOURS AND COMPANY, 1007 Market Street, Wilmington, DE 19898, US [US, US]
 AG EVANS, Craig, H., E.I. Dupont De Nemours and Company, Legal Patent Records Center, 4417 Lancaster Pike, Wilmington, DE 19805, US
 LAF English
 LA English
 DT Patent
 PI WO 2003014183 A1 20030220
 DS W:

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
 CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN
 IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN
 MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM
 TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
 RW (ARIPO): GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
 RW (EAPO): AM AZ BY KG KZ MD RU TJ TM
 RW (EPO): AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL
 PT SE SK TR
 RW (OAPI): BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

AI WO 2002-US27080 A 20020809
 PRAI US 2001-09/927,653 20010810
 ABEN A process for producing a polyester that comprises 1 to 90 weight % poly(alkylene ether) glycol. The process comprises the step of copolymerizing (i) a preformed polyester polymer having an inherent viscosity of at least 0.4 dL/g, (ii) a poly(alkylene ether) glycol, and (iii) a dicarboxylic acid or anhydride, to obtain a polyester comprising 1 to 90 weight % poly(alkylene ether glycol).
 ABFR L'invention concerne un procede d'elaboration de polyester refermant, en poids, entre 1 et 90 % de poly(alkylene ether) glycol, qui consiste a copolymeriser (i) un polymere de polyester preforme de viscosite inherente au moins egale a 0,4 dL/g, (ii) un poly(alkylene ether) glycol, et (iii) un acide dicarboxylique ou un anhydride, donnant un polyester qui contient, en poids, entre 1 et 90 % de poly(alkylene ether glycol).

L5 ANSWER 16 OF 25 USPATFULL on STN DUPLICATE 5
 AN 2002:17493 USPATFULL
 TI Continuous process for the preparation of polytrimethylene ether glycol
 IN Sunkara, Hari B., Wilmington, DE, UNITED STATES
 Marchildon, Ernest Keith Andrew, Kingston, CANADA
 Ng, Howard Chung-Ho, Kingston, CANADA
 Manzer, Leo E., Wilmington, DE, UNITED STATES
 PI US 2002010374 A1 20020124
 US 6720459 B2 20040413
 AI US 2000-738689 A1 20001215 (9)

10/634,687

PRAI US 1999-172126P 19991217 (60)
DT Utility
FS APPLICATION
LREP E I DU PONT DE NEMOURS AND COMPANY, LEGAL DEPARTMENT - PATENTS, 1007
MARKET STREET, WILMINGTON, DE, 19898
CLMN Number of Claims: 46
ECL Exemplary Claim: 1
DRWN 7 Drawing Page(s)
LN.CNT 1045

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention is a continuous process for the preparation of polytrimethylene ether glycol from 1,3-propanediol reactant. In addition, the invention is directed to a continuous multi-stage process comprising reacting at least one reactant in a liquid phase in an up-flow column reactor, and forming a gas or vapor phase by-product wherein the gas or vapor phase by-product is continuously removed at the top and at least one intermediate stage.

L5 ANSWER 17 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1236757 EUROPATFULL ED 20020910 EW 200236 FS OS
TIEN THERMOPLASTIC ELASTOMER, USE THEREOF, AND PROCESS FOR PRODUCING THE SAME.
TIDE THERMOPLASTISCHES ELASTOMER, VERWENDUNG DESSELBEN UND VERFAHREN ZU DESSEN HERSTELLUNG.
TIFR ELASTOMERE THERMOPLASTIQUE, SON UTILISATION ET SON PROCEDE DE PRODUCTION.
IN NIKI, Akihiro, Sekisui Chemical Co., Ltd., 2-1, Hyakuyama, Shimamoto-cho, Mishima-gun, Osaka 618-0021, JP;
MATSUMOTO, Hirotake, Sekisui Chemical Co., Ltd., 2-1, Hyakuyama, Shimamoto-cho, Mishima-gun, Osaka 618-0021, JP;
FUJIWARA, Akihiko, Sekisui Chemical Co., Ltd., 2-1, Hyakuyama, Shimamoto-cho, Mishima-gun, Osaka 618-0021, JP;
NAKATANI, Yasuhiro, Sekisui Chemical Co., Ltd., 2-1, Hyakuyama, Shimamoto-cho, Mishima-gun, Osaka 618-0021, JP;
NOZATO, Shoji, Sekisui Chemical Co., Ltd., 2-1, Hyakuyama, Shimamoto-cho, Mishima-gun, Osaka 618-0021, JP
PA Sekisui Chemical Co., Ltd., Intellectual Property Center, Dojima-Kanden Building, 2-4-4, Nishitemma, Kita-ku, Osaka-shi, Osaka 530-8565, JP
PAN 1280468
AG Best, Michael, Dr. et al., Lederer & Keller Patentanwaelte Prinzregentenstrasse 16, 80538 Muenchen, DE
AGN 79461
OS BEPA2002074 EP 1236757 A1 0054
SO Wila-EPZ-2002-H36-T1a
DT Patent
LA Anmeldung in Japanisch; Veroeffentlichung in Englisch; Verfahren in Englisch
DS R AT; R BE; R CH; R CY; R DE; R DK; R ES; R FI; R FR; R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R AL; R LT; R LV; R MK; R RO; R SI
PIT EPA1 EUROPAEISCHE PATENTANMELDUNG (Internationale Anmeldung)
PI EP 1236757 A1 20020904
OD 20020904
AI EP 2000-963015 20000929
PRAI JP 1999-280305 19990930
JP 2000-2000234525 20000802
JP 2000-2000242823 20000810
RLI WO 00-JP6812 000929 INTAKZ
WO 0123458 010405 INTPNR

ABEN The present invention presents a thermoplastic elastomer that exhibits superior moisture permeability, excellent flexibility and mechanical properties at a high temperature, particularly settling resistance at a high temperature, and excellent moisture permeability.

The thermoplastic elastomer contains a polyether component (A) as a constituting unit, wherein the carbon/oxygen atomic ratio for the poly-oxyalkylene group ($-\text{C}_{\text{sub}n}\text{H}_{\text{sub}2n}\text{O}-$) that constitutes the above polyether component is in the range from 2.0 to 2.5, the content of the polyether component in the thermoplastic elastomer is in the range from 50 to 95 weight%, and the glass transition temperature of the thermoplastic elastomer is not more than -20°C . Particularly preferable is a thermoplastic elastomer in which the polyether component is bonded with the polyester component (B) via the poly-isocyanate component (C).

L5 ANSWER 18 OF 25 USPATFULL on STN

AN 2002:12660 USPATFULL

TI Production of polytrimethylene ether glycol
and copolymers thereof

IN Sunkara, Hari B., Wilmington, DE, UNITED STATES
Manzer, Leo E., Wilmington, DE, UNITED STATES

PI US 2002007043 A1 20020117

AI US 2000-738688 A1 20001215 (9)

PRAI US 1999-172264P 19991217 (60)

DT Utility

FS APPLICATION

LREP E I DU PONT DE NEMOURS AND COMPANY, LEGAL DEPARTMENT - PATENTS, 1007
MARKET STREET, WILMINGTON, DE, 19898

CLMN Number of Claims: 49

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 777

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A process for the manufacture of polytrimethylene ether glycol comprising the steps of: (a) providing (1) 1,3-propanediol reactant selected from the group consisting of 1,3-propanediol and/or oligomers or prepolymers of 1,3-propanediol having a degree of polymerization of 2-9 and mixtures thereof, and (2) a polycondensation catalyst; and (b) polycondensing the 1,3-propanediol reactant to form a polytrimethylene ether glycol at less than one atmosphere pressure, and the product of the process. In addition, polytrimethylene ether glycol has a number average molecular weight greater than 1,500, an APHA color of less than 120, an unsaturation of less than 20 meq/kg, and a content of cyclic ether oligomers of less than 2%.

L5 ANSWER 19 OF 25 USPATFULL on STN

AN 2002:181753 USPATFULL

TI Process to produce poly(alkylene ether)glycol-containing polyesters

IN Hayes, Richard Allen, Brentwood, TN, United States

PA E. I. duPont de Nemours & Company, Wilmington, DE, United States (U.S. corporation)

PI US 6423789 B1 20020723

AI US 2001-927652 20010810 (9)

DT Utility

FS GRANTED

EXNAM Primary Examiner: Acquah, Samuel A.

LREP Krukiel, Charles E.

CLMN Number of Claims: 16

ECL Exemplary Claim: 1

10/634,687

DRWN 0 Drawing Figure(s); 0 Drawing Page(s)

LN.CNT 972

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A process for producing a polyester that comprises 65 to 90 weight % poly(alkylene ether) glycol. The process comprises the step of copolymerizing a preformed polyester polymer having an inherent viscosity of at least 0.4 dL/g and a poly(alkylene ether) glycol, to obtain said polyester comprising said 65 to 90 weight % poly(alkylene ether glycol).

L5 ANSWER 20 OF 25 PROMT COPYRIGHT 2004 Gale Group on STN

AN 2001:975766 PROMT

TI CHEMICALS and raw materials.(Directory)

SO Pharmaceutical Technology, (15 Jun 2001) pp. 20.

ISSN: ISSN: 0147-8087.

PB Advanstar Communications, Inc.

DT Newsletter

LA English

WC 82506

FULL TEXT IS AVAILABLE IN THE ALL FORMAT

AB ASORPTION BASES

L5 ANSWER 21 OF 25 PCTFULL COPYRIGHT 2004 Univentio on STN

AN 2001044348 PCTFULL ED 20020827

TIEN PRODUCTION OF POLYTRIMETHYLENE ETHER GLYCOL
AND COPOLYMERS THEREOF

TIFR PRODUCTION DE POLYTRIMETHYLENE ETHER GLYCOL
ET COPOLYMERES ASSOCIES

IN SUNKARA, Hari, B.;

MANZER, Leo, E.

PA E.I. DU PONT DE NEMOURS AND COMPANY

DT Patent

PI WO 2001044348 A1 20010621

DS W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP
KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX
MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA
UG UZ VN YU ZA ZW GH GM KE LS MW MZ SD SL SZ TZ UG ZW AM
AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR
IE IT LU MC NL PT SE TR BF BJ CF CG CI CM GA GN GW ML MR
NE SN TD TG

AI WO 2000-US34202 A 20001215

PRAI US 1999-60/172,264 19991217

ABEN A process for the manufacture of polytrimethylene ether glycol comprising polycondensing a 1,3-propanediol reactant selected from the group consisting of 1,3-propanediol and/or oligomers or prepolymers of 1,3-propanediol having a degree of polymerization of 2-9 and mixtures thereof using a polycondensation catalyst to form a polytrimethylene ether glycol at less than one atmosphere pressure. In addition, polytrimethylene ether glycol has a number average molecular weight greater than 1,500, an APHA color of less than 120, an unsaturation of less than 20 meq/kg, and a content of cyclic ether oligomers of less than 2 %.

ABFR L'invention concerne un procede de fabrication de polytrimethylene ether glycol qui consiste a polycondenser un reactif 1,3-propanediol choisi dans le groupe forme de 1,3-propanediol et/ou d'oligomeres ou de prepolymeres de 1,3-propanediol ayant un degre de polymerisation de 2-9 et de leurs melanges a l'aide d'un catalyseur de polycondensation pour former un polytrimethylene ether glycol a une pression

10/634,687

inferieure a une atmosphere. En outre, le polytrimethylene ether glycol presente un poids moleculaire moyen superieur a 1 500, un indice de couleur APHA inferieur a 120, une insaturation inferieure a 20 meq/kg et une teneur en oligomeres ether cycliques inferieure a 2 %.

L5 ANSWER 22 OF 25 PROMT COPYRIGHT 2004 Gale Group on STN

AN 2000:1135734 PROMT
TI Chemicals and Raw Materials.(directory)
SO Pharmaceutical Technology, (July 2000) Vol. 24, No. 7, pp. 24.
ISSN: ISSN: 0147-8087.
PB Advanstar Communications, Inc.
DT Newsletter
LA English
WC 61423
FULL TEXT IS AVAILABLE IN THE ALL FORMAT
AB ABSORPTION BASES

L5 ANSWER 23 OF 25 USPATFULL on STN

AN 1999:142035 USPATFULL
TI Thermoplastic resin molded article
IN Takamoto, Katsunori, Tsukuba, Japan
Mochizuki, Akihiro, Tsukuba, Japan
PA Kuraray Co., Ltd., Kurashiki, Japan (non-U.S. corporation)
PI US 5981628 19991109
AI US 1998-24453 19980217 (9)
PRAI JP 1997-62503 19970228
DT Utility
FS Granted
EXNAM Primary Examiner: Michl, Paul R.
LREP Oblon, Spivak, McClelland, Maier & Neustadt, P.C.
CLMN Number of Claims: 6
ECL Exemplary Claim: 1
DRWN 3 Drawing Figure(s); 3 Drawing Page(s)
LN.CNT 1326
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A thermoplastic resin molded article having gloss of at least one surface above 80%, a storage modulus in common logarithm being 7 to 8 MPa within a temperature range higher by 20° C. to 100° C. than the glass transition temperature, a cooling distortion ratio of 1.0 kg/cm.sup.2 .multidot.°C. or less when the molded article is cooled from 130° C. to 50° C. and an Izod impact strength of 2.0 kJ/m.sup.2 or more, is provided, together with a thermoplastic resin composition containing a polybutylene terephthalate resin, a polyethylene terephthalate resin, a (metha)acrylic resin, a polymer particle of a multi-layer structure and an inorganic filler, which composition is used for producing the molded article.

L5 ANSWER 24 OF 25 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 394933 EUROPATFULL UP 20000903 EW 199044 FS OS STA B
TIEN Polyphenylene sulfide resin composition.
TIDE Polyphenylensulfidharz Zusammensetzung.
TIFR Composition de resine polyphenylenesulfide.
IN Kadoi, Sho, Toray Shataku 141, 1, Higashi 3-chome, Yushudai,
Ichihara-shi, Chiba, JP;
Yabe, Hidemi, Toray Shataku B-1-2, 15-8, Sanjo 2-chome, Minami-ku,
Nagoya-shi, Aichi, JP;
Kobayashi, Kazuhiko, Toray Shataku J-3-5, 81, Ikegamidai, 1-chome,

10/634,687

Midori-ku, Nagoya-shi, Aichi, JP
PA TORAY INDUSTRIES, INC., 2-1, Nihonbashi Muromachi 2-chome Chuo-ku,
Tokyo, JP
PAN 203532
AG Kador & Partner, Corneliusstrasse 15, D-8000 Muenchen 5, DE
AGN 100211
OS ESP1990051 EP 0394933 A2 901031
SO Wila-EPZ-1990-H44-T1
DT Patent
LA Anmeldung in Englisch; Veroeffentlichung in Englisch
DS R CH; R DE; R FR; R GB; R IT; R LI; R NL
PIT EPA2 EUROPAEISCHE PATENTANMELDUNG
PI EP 394933 A2 19901031
OD 19901031
AI EP 1990-107686 19900423
PRAI JP 1989-106197 19890425

GRANTED PATENT - ERTEILTES PATENT - BREVET DELIVRE

AN 394933 EUROPATFULL ED 19970727 EW 199728 FS PS
TIEN Polyphenylene sulfide resin composition.
TIDE Polyphenylensulfidharz Zusammensetzung.
TIFR Composition de resine polyphenylenesulfide.
IN Kadoi, Sho, Toray Shataku 141, 1, Higashi 3-chome, Yushudai,
Ichihara-shi, Chiba, JP;
Yabe, Hidemi, Toray Shataku B-1-2, 15-8, Sanjo 2-chome, Minami-ku,
Nagoya-shi, Aichi, JP;
Kobayashi, Kazuhiko, Toray Shataku J-3-5, 81, Ikegamidai, 1-chome,
Midori-ku, Nagoya-shi, Aichi, JP
PA TORAY INDUSTRIES, INC., 2-1, Nihonbashi Muromachi 2-chome Chuo-ku,
Tokyo, JP
PAN 203532
AG Kador & Partner, Corneliusstrasse 15, 80469 Muenchen, DE
AGN 100211
OS EPB1997043 EP 0394933 B1 970709
SO Wila-EPS-1997-H28-T1
DT Patent
LA Anmeldung in Englisch; Veroeffentlichung in Englisch
DS R CH; R DE; R FR; R GB; R IT; R LI; R NL
PIT EPB1 EUROPAEISCHE PATENTSCHRIFT
PI EP 394933 B1 19970709
OD 19901031
AI EP 1990-107686 19900423
PRAI JP 1989-106197 19890425
REP EP 193951 A EP 241019 A
REN PATENT ABSTRACTS OF JAPAN vol. 7, no. 11 (C-145)(1156) 18 January 1983,
&
JP-A-57168945 (DAINIPPON INK KAGAKU KOGYO K. K.) 18 October 1982 PATENT
ABSTRACTS OF JAPAN vol. 3, no. 3 (C-33)(141) 16 January 1979, &
JP-A-53127551 (UNITIKA K. K.) 11 July 1978
ABEN Disclosed is a polyphenylene sulfide resin composition having a
superior heat resistance and impact resistance obtained by
melt-kneading a modified polyphenylene sulfide resin obtained by
reacting a polyphenylene sulfide resin with a carboxylic acid
anhydride, with at least one thermoplastic resin selected from a
polyamide resin, a polyester resin, a polycarbonate resin, a
polysulfone resin, and a polyamide-imide resin.

L5 ANSWER 25 OF 25 USPATFULL on STN
AN 96:9458 USPATFULL
TI Polyphenylene sulfide resin composition

10/634,687

IN Kadoi, Sho, Ichihara, Japan
Yabe, Hidemi, Nagoya, Japan
Kobayashi, Kazuhiko, Nagoya, Japan
PA Toray Industries, Inc., Japan (non-U.S. corporation)
PI US 5488084 19960130
AI US 1993-166735 19931214 (8)
RLI Continuation of Ser. No. US 1992-924424, filed on 31 Jul 1992, now
abandoned which is a continuation of Ser. No. US 1990-512865, filed on
23 Apr 1990, now abandoned
PRAI JP 1989-106197 19890425
DT Utility
FS Granted
EXNAM Primary Examiner: Lesmes, George F.; Assistant Examiner: Lee, Helen F.
LREP Miller, Austin R.
CLMN Number of Claims: 7
ECL Exemplary Claim: 1
DRWN No Drawings
LN.CNT 833

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Disclosed is a polyphenylene sulfide resin composition having a superior
heat resistance and impact resistance obtained by melt-kneading a
modified polyphenylene sulfide resin obtained by reacting a
polyphenylene sulfide resin with a carboxylic acid anhydride, with at
least one thermoplastic resin selected from a polyamide resin, a
polyester resin, a polycarbonate resin, a polysulfone resin, and a
polyamide-imide resin.

=> file ifipat

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
379.68	379.89

FULL ESTIMATED COST

FILE 'IFIPAT' ENTERED AT 09:01:49 ON 21 SEP 2004

COPYRIGHT (C) 2004 IFI CLAIMS(R) Patent Services (IFI)

FILE COVERS 1950 TO PATENT PUBLICATION DATE: 16 Sep 2004 (20040916/PD)

FILE LAST UPDATED: 17 Sep 2004 (20040917/ED)

HIGHEST GRANTED PATENT NUMBER: US2004160699

HIGHEST APPLICATION PUBLICATION NUMBER: US2004181840

UNITERM INDEXING IS AVAILABLE IN THE IFIUDB FILE

UNITERM INDEXING LAST UPDATED: 27 Aug 2004 (20040827/UP)

INDEXING CURRENT THROUGH PAT PUB DATE: 24 Feb 2004 (20040224/PD)

IFIPAT has been reloaded (08/01/2004). See HELP RLOAD for details.

=> d his

(FILE 'HOME' ENTERED AT 08:44:53 ON 21 SEP 2004)

FILE 'AGRICOLA, ALUMINIUM, ANABSTR, APOLLIT, AQUALINE, AQUIRE, BABS,
BIOCOMMERCE, BIOTECHNO, CABA, CAOLD, CAPLUS, CBNB, CEABA-VTB, CEN, CERAB,
CIN, COMPENDEX, CONFSCI, COPPERLIT, CORROSION, DISSABS, FEDRIP, GENBANK,
INSPEC, INSPHYS, INVESTEXT, IPA, ...' ENTERED AT 08:45:07 ON 21 SEP 2004

L1 261 S POLYOXYTRIMETHYLENE GLYCOL OR POLYTRIMETHYLENE ETHER GLYCOL O
L2 2569247 S ADORBENT OR ACTIVATED CARBON OR ACTIVATED CHARCOAL OR ALUMINA
L3 3151473 S COLOR OR COLOUR
L4 30 S L1 AND L2 AND L3
L5 25 DUP REM L4 (5 DUPLICATES REMOVED)

FILE 'IFIPAT' ENTERED AT 09:01:49 ON 21 SEP 2004

10/634,687

=> s 12 (20a) 13

L6 539 L2 (20A) L3

=> s trimethylene glycol and 16

3571 TRIMETHYLENE

57238 GLYCOL

389 TRIMETHYLENE GLYCOL

(TRIMETHYLENE(W) GLYCOL)

L7 0 TRIMETHYLENE GLYCOL AND L6

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

4.83

384.72

STN INTERNATIONAL LOGOFF AT 09:03:37 ON 21 SEP 2004